



گزارش اولیه زمین لرزه با بزرگی ۴/۳ شهرستان پیرانشهر، استان آذربایجان غربی

مورخ ۱۰ تیر ماه ۱۴۰۴


تاریخ گزارش:

۱۰ تیر (ویرایش ۱)



معرفی رویداد

در ساعت ۲۰ و ۴۴ دقیقه (به وقت محلی) روز ۱۰ تیر ماه ۱۴۰۴ هجری شمسی، مطابق با ساعت ۱۶ و ۱۴ دقیقه (به وقت جهانی) روز ۳۰ ژوئن ۲۰۲۵ میلادی زمین‌لرزه‌ای با بزرگای $4/3$ در فاصله ۵۰ کیلومتری پیرانشهر در شهرستان پیرانشهر از استان آذربایجان غربی به وقوع پیوست (شکل ۱). رومرکز این رویداد براساس لرزه‌نگاشتهای ثبت شده در مرکز ملی شبکه لرزه نگاری باند پهنه کشور (IIEES) در مختصات $36^{\circ}65'N$ و $45^{\circ}16'E$ درجه عرض شمالی و درجه طول خاوری قرار دارد. براساس آخرین مکان‌یابی صورت گرفته، عمق کانونی زمین‌لرزه حدود ۱۲/۰ کیلومتر برآورد شده است.



شکل ۱: موقعیت کانون زمین‌لرزه ۱۰ تیر ماه ۱۴۰۴ پیرانشهر براساس گزارش مراکز لرزه‌نگاری مختلف

جدول ۱: اطلاعات زمین لرزه به همراه سازوکار کانونی به نقل از مراکز لرزه شناسی

نام مرکز	طول جغرافیایی	عرض جغرافیایی	عمق	بزرگا
^۱ IRIS	۴۵/۰	۳۶/۷۷	۱۰/۰	۴/۰
^۲ IIEES	۴۵/۱۶	۳۶/۶۵	۱۲/۰	۴/۳
^۳ AUTO	۴۴/۹۵	۳۶/۵۷	۱۰/۰	۴/۳
^۴ EMSC	۴۵/۰۵	۳۶/۸۴	۶/۰	۴/۲
^۵ USGS	۴۵/۰	۳۶/۷۷	۱۰/۰	۴/۰
^۶ IRSC	۴۵/۰۵	۳۶/۸۴	۶/۰	۴/۲

^۱ مرکز تحقیقاتی یکپارچه زلزله شناسی آمریکا

^۲ پژوهشگاه بین المللی زلزله شناسی و مهندسی زلزله


^۳ سامانه اتوماتیک پژوهشگاه زلزله شناسی و مهندسی زلزله

^۴ مرکز لرزه‌شناسی اروپا و مدیترانه

^۵ سازمان زمین‌شناسی آمریکا


^۶ موسسه ژئوفیزیک دانشگاه تهران

نسخه: ۱/۰



شکل ۲: توزیع زمین‌لرزه‌های تاریخی (آمرسیز و ملویل ۱۹۸۲) در گستره زمین‌لرزه ۱۰ تیر ماه ۱۴۰۴ پیرانشهر (ستاره)

نسخه: ۱/۰



شکل ۳: نقشه لرزه‌خیزی دستگاهی گستره مهلکه‌ای زمین‌لرزه ۱۰ تیر ماه ۱۴۰۴ پیرانشهر (ستاره) براساس کاتالوگ زمین‌لرزه‌های پژوهشگاه بین‌المللی زلزله‌شناسی و مهندسی زلزله

مراجع

- [۱] تاریخ زمین لرزه ایران نوشه ن. ن. امیرسیز و چ. پ. ملویل
- [2] Hessami, K., F. Jamali and H. Tabassi, 2003. Major Active Faults of Iran (map). Ministry of Science, Research and Technology, International Institute of Earthquake Engineering and Seismology.
- [3] Abrahamson, N. A., Silva, W. J., & Kamai, R. (2014). Summary of the ASK14 ground motion relation for active crustal regions. *Earthquake Spectra*, 30(3), 1025-1055.
- [4] Sinaeian, Zare, Fukushima (2007), A Study on the Empirical PGA Attenuation Relationship in Iran', SEE5
- [5] Ghasemi, FuKushima, Koketsu (2009), 'An empirical Spectrum Ground-Motion'
- [6] Kanno, T., Narita, A., Morikawa, N., Fujiwara, H., & Fukushima, Y. (2006). A new attenuation relation for strong ground motion in Japan based on recorded data. *Bulletin of the Seismological Society of America*, 96(3), 879-897.
- [7] Kotha, S. R., Bindi, D. and Cotton, F. (2016) 'Partially non-ergodic region specific GMPE for Europe and the Middle-East', *Bull. Earthquake Eng.*14: 1245 - 1263
- [8] Zafarani, H., Luzzi, L., Lanzano, G., & Soghrat, M. R. (2018). Empirical equations for the prediction of PGA and pseudo spectral accelerations using Iranian strong-motion data. *Journal of Seismology*, 22(1), 263-285.
- [9] Worden, C. B., Wald, D. J., Allen, T. I., Lin, K., Garcia, D., and Cua, G. (2010). A revised ground-motion and intensity interpolation scheme for ShakeMap. *Bulletin of the Seismological Society of America*, 100(6), 3083-3096.
- [10] Borcherdt, R.D. (1994). Estimates of site-dependent response spectra for design (methodology and justification), *Earthquake Spectra* 10, 617-654.
- [11] Allen, T. and D.J. Wald (2009). On the use of high-resolution topographic data as a proxy for seismic site conditions (VS30), *Bull. Seism. Soc. Am.* 99(2A), 935-943.